



The Refrigeration Experts

Product specification



BCT52/26: 52kg/ 26kg Blast Chiller and Freezer

17-283

52kg Blast chiller/freezer cabinet

Features and benefits

- Chilling capacity 70°C to 3°C in less than 90 minutes within specifications. Entry temperature up to 90°C for chilling
- Freezing capacity from +70°C to -18°C in less than 240 minutes within specifications
- Dedicated 52Kg blast chiller with occasional 26Kg freeze capacity
- Exceeding UK and European food safety requirements
- High grade 304 exterior and interior the 'gold standard' in performance finishes
- Intuitive touch control panel – just press and go!
- 14 Shelf Positions for GN 1/1 Pans

Technical

Refrigerant R452A

Build

Finish ext/int 304 S/S &
304 S/S

Electrical supply	230/50/1
Fuse rating (A)	16
Current (A)	9.8
Power (W)	2500
Refrigerant mass (g)	1800
Thermal heat rejection (W)	2500

Number of sections	1
Section configuration	Right hinge
System	Integral

Dimensions

Height (mm)	1790
Width (mm)	805
Depth (mm)	755
Gross volume (ltr)	471
Net volume (ltr)	280
Chilling capacity (kg)	52
Freezing capacity (kg)	26
Leg type	Braked castors
GN size	1/1
Gross weight (kg)	210
Net weight (kg)	130

Energy

Climate Class	5
Freezing capacity (kg)	26
GWP	2140

Options

Hinge	Left
--------------	------

RS485 connection for HACCP data logging	Yes
System	Remote
Electrical supply	220/60/1

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.