

Product specification



FSL800G: 800 Ltr Slimline Cabinet Refrigerator

11-318

Double glass door refrigerator cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Accept all Decline all

Technical

Refrigerant R290 **Temperature** Refrigerator +1/+4°C Electrical 230/50/1 supply Fuse rating (A) 10 2.9 Current (A) Power (W) 225 Refrigerant 84 mass (g)

Build

Cabinet type	Glass
	Pressed
	liner
Door material	Glass
Finish ext/int	S/S & Alu
Number of	2
sections	
Section	Left hinge-
configuration	Right hinge
System	Integral

Dimensions

Height (mm) 1910 Width (mm) 1200 Depth (mm) 705 **Gross volume** 800 (ltr) **Net volume** 535.5 (ltr) Leg type Castors **Gross weight** 193.5 (kg) **Net weight** 178 (kg)

Energy

Climate Class 3
AEC (kWh) 1037
GWP 3
Min - max -1/5
temperature
(°C)

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. More information.