

Product specification



FSL400L: 400 Ltr Slimline Cabinet Freezer

11-311

Single door freezer cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard.
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Accept all

Decline all

Technical

Refrigerant	R290
Temperature	Freezer -18/-21°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	2.5
Power (W)	430
Refrigerant mass (g)	70

Build

Cabinet type	Standard Pressed liner
Door material	304 Stainless steel
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

5

F

92.46

2581

7.072

З

Dimension	S	Energy
Height (mm)	1910	Climate Class
Width (mm)	600	Energy grade
Depth (mm)	705	EEI
Gross volume (ltr)	400	AEC (kWh) GWP
Net volume (Itr)	267.8	Energy consumption
Leg type	Castors	(kWh/24hr)
Gross weight (kg)	93.5	
Net weight (kg)	90.5	

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | <u>www.fosterrefrigerator.com</u>

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. <u>More information.</u>