

Model:  
**TOAM-30-HC~TSL01**


**Open Air Merchandiser:**  
*Refrigerator with Hydrocarbon Refrigerant with Sign Panel*



## TOAM-30-HC~TSL01

- ▶ Large, open front allows easy access to display levels and places maximum attention on merchandising.
- ▶ Factory engineered system using environmentally friendly R290 hydro carbon refrigerant.
- ▶ High capacity, factory balanced refrigeration system that maintains cabinet temperatures of 1.6°C to 4.4°C.
- ▶ Patented reversing condenser fan motors help keeping the condenser coil free from dirt, dust and debris. Regularly scheduled thorough cleaning of coils still recommended.
- ▶ Exterior - Attractive and durable clear aluminum
- ▶ Interior - NSF approved, aluminum liner. Stainless steel interior floor and deck pans.
- ▶ Four (4) adjustable, solid grey powder coated cantilever shelves.
- ▶ LED interior cabinet lighting + LED lighting under each shelf provides more even lighting throughout the cabinet.
- ▶ Glass lower front panel. Durable and break resistant maximizes product visibility.
- ▶ Entire cabinet structure is foamed-in-place using a high density, environmentally friendly, polyurethane insulation.
- ▶ NSF/ANSI Standard 7 Type I compliant for the storage and/or display of packaged or bottled product; maximum ambient temperature 24°C.

## PLAN VIEW



## ROUGH-IN DATA

Specifications subject to change without notice.  
Chart dimensions rounded up to the next whole millimeter (inches rounded up to the next 1/8").

Model	Doors	Shelves	Cabinet Dimensions (mm)			Total Display Area (m <sup>2</sup> )	EEC	EEI	Temperature Class	Annual Energy Consumption (kWh)	Crated Weight (kg)
			W	D	H						
TOAM-30-HC~TSL01	—	4	762	738	1994	—	—	—	—	—	177